EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12161	synchroniz$5 near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:52
L4	149	3 same (receiver$1 near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L5	96	3 with (receiver$1 near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:53
L6	21	4 same (clock$1 near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:54
L7	10	5 with (clock$1 near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:25
L8	4	("5282210" | "5736946" | "6359479" | "6496555").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 11:25
L9	1	("6714612").URPN.	USPAT	OR	OFF	2006/10/26 11:26
L10	21	3 same (receiver$1 near6 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49
L11	8	3 with (receiver$1 near6 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:31
L12	16955	(sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49

EAST Search History

L13	143	12 same (receiver$1 near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L14	69	12 with (receiver$1 near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L15	19	13 same delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:35
L16	1	14 with delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L17	4242	((increas$3 or decreas$3 or adjust$5 or correct$4 or chang$3) near6 delay$1) same ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:48
L18	1774	((increas$3 or decreas$3 or adjust$5 or correct$4 or chang$3) near6 delay$1) with ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:48
L19	196	17 same ((sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49
L20	61	18 with ((sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49
L21	2	19 same (receiver$1 near6 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51
L22	2	20 with (receiver$1 near6 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:50

EAST Search History

L23	18	19 same receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51
L24	5	20 with receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12161	synchroniz$5 near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:52
L4	149	3 same (receiver$1 near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:12
L5	96	3 with (receiver$1 near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:53
L6	21	4 same (clock$1 near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:54
L7	10	5 with (clock$1 near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:25
L8	4	("5282210" | "5736946" | "6359479" | "6496555").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 11:25
L9	1	("6714612").URPN.	USPAT	OR	OFF	2006/10/26 11:26
L10	21	3 same (receiver$1 near6 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:47
L11	8	3 with (receiver$1 near6 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:31
L12	16955	(sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:56

L13	143	12 same (receiver$1 near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L14	69	12 with (receiver$1 near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L15	19	13 same delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:58
L16	1	14 with delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:33
L17	4242	((increas$3 or decreas$3 or adjust$5 or correct$4 or chang$3) near6 delay$1) same ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:48
L18	1774	((increas$3 or decreas$3 or adjust$5 or correct$4 or chang$3) near6 delay$1) with ((incomming or input or received) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:48
L19	196	17 same ((sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:47
L20	61	18 with ((sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:49
L21	2	19 same (receiver$1 near6 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51
L22	2	20 with (receiver$1 near6 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:50

L23	18	19 same receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:59
L24	5	20 with receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 11:51
L25	556	12 same ((active or inactive or rising or falling) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05
L26	327	12 with ((active or inactive or rising or falling) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:58
L27	170	25 same delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:06
L28	51	26 with delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:58
L29	26	27 same receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:59
L30	0	28 with receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 12:59
L31	54	25 same (delay$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:06
L32	12	26 with (delay$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:07

EAST Search History

L33	9	("4841551" | "5022056" | "5278873" | "5416807" | "5532632" | "5546018" | "6122720" | "6239629" | "6326812").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:09
L34	2	("6690201").URPN.	USPAT	OR	OFF	2006/10/26 13:13
L35	13	("4975605" | "5229668" | "5467464" | "5504751" | "5671258" | "5692165" | "5828243" | "5886552" | "5910742" | "5933623" | "6041089" | "6108794" | "6137851").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:17
L36	4	("6239629").URPN.	USPAT	OR	OFF	2006/10/26 13:22
L37	8	("3851101" | "4700347" | "4821296" | "4841551" | "5022056" | "5022057" | "5034967" | "5278873").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:24
L38	6	("5532632").URPN.	USPAT	OR	OFF	2006/10/26 13:26
L39	4	("5229668" | "5467464" | "5692165" | "5933623").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:28
L40	7	("6108794").URPN.	USPAT	OR	OFF	2006/10/26 13:30
L41	3	("4216544" | "4280099" | "4414676").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:36
L42	30	("4821296").URPN.	USPAT	OR	OFF	2006/10/26 13:36
L43	3	("5532632" | "5598113" | "5834950").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:39
L44	7	("6252441").URPN.	USPAT	OR	OFF	2006/10/26 13:40
L45	24	("4100541" | "4739231" | "5060145" | "5260608" | "5262865" | "5287025" | "5355037" | "5402389" | "5440514" | "5440515" | "5479128" | "5514990" | "5528200" | "5544203" | "5548235" | "5554949" | "5610543" | "5670895" | "5708611" | "5740123" | "5818769" | "5822255" | "5991232" | "6252441").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:42
L46	1	("6498524").URPN.	USPAT	OR	OFF	2006/10/26 13:43
L47	1	("5122679").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 13:44
L48	34	("5467464").URPN.	USPAT	OR	OFF	2006/10/26 13:44

EAST Search History

L49	13	4 same ((sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:04
L50	5	5 with ((sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:52
L51	2	("5003308").URPN.	USPAT	OR	OFF	2006/10/26 13:54
L52	5	4 same ((active or inactive or rising or falling) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:12
L53	0	5 with ((active or inactive or rising or falling) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 13:56
L54	5	4 same ((plurality or multiple or (more near2 one)) near3 sampl$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:03
L55	0	5 with ((plurality or multiple or (more near2 one)) near3 sampl$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:03
L56	16955	((sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:38
L57	525	3 same 56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05
L58	447	3 with 56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05

L59	20	57 same ((active or inactive or rising or falling) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05
L60	8	58 with ((active or inactive or rising or falling) near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:05
L61	2	("5778214" | "5920600").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 14:11
L62	5	("4633487" | "4756011" | "5278873" | "5428648" | "5539784").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 14:17
L63	15	("5692166").URPN.	USPAT	OR	OFF	2006/10/26 14:17
L64	9	("4370648" | "4851710" | "4943984" | "5004933" | "5228138" | "5359630" | "5369417" | "5692166" | "5742188").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 14:25
L65	1	("6604203").URPN.	USPAT	OR	OFF	2006/10/26 14:27
L66	7	("4355283" | "5083049" | "5087828" | "5604452" | "5614845" | "5623223" | "5652536").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 14:28
L67	4	("5742188").URPN.	USPAT	OR	OFF	2006/10/26 14:28
L68	10	57 same ((four or "4") near3 (sample$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:39
L69	4	58 with ((four or "4") near3 (sample$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:48
L70	8	("4393301" | "5237290" | "5687203" | "5887040" | "5909473" | "6081561" | "6266799" | "6556640").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:02
L71	17	("6266799").URPN.	USPAT	OR	OFF	2006/10/26 15:06
L72	3	("5781765" | "5825825" | "5920600").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:18
L73	6	("5577078" | "5642386" | "6122335" | "6266799" | "6285722" | "6349387").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:19

EAST Search History

L74	0	("6996201").URPN.	USPAT	OR	OFF	2006/10/26 15:20
L75	30	56 same (synchroniz$5 near6 (receiver$1 near3 clock$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:24
L76	15	56 with (synchroniz$5 near6 (receiver$1 near3 clock$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:23
L77	6	75 same (delay$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:23
L78	0	76 with (delay$3 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:23
L79	60	56 same (synchroniz$5 near6 ((receiver$1 or local) near3 clock$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:25
L80	29	56 with (synchroniz$5 near6 ((receiver$1 or local) near3 clock$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:25
L81	521	56 same (delay$3 near3 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:38
L82	430	56 with (delay$3 near3 ((incomming or input or received) near2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:29
L83	27	81 same ((active or inactive or rising or falling) near6 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:30

L84	15	82 with ((active or inactive or rising or falling) near6 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:35
L85	7	("4355283" | "5083049" | "5087828" | "5604452" | "5614845" | "5623223" | "5652536").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:35
L86	4	("5742188").URPN.	USPAT	OR	OFF	2006/10/26 15:36
L87	9002	((sampl$3 or oversampl$3 or (over adj sampl$3)) near6 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:38
L88	480	87 same (delay$3 near6 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:21
L89	397	87 with (delay$3 near6 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:39
L90	13	88 same ((four or "4") near3 (sample$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44
L91	3	89 with ((four or "4") near3 (sample$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:10
L92	825	(delay$3 near6 ((incomming or input or received) adj data)) same sampl$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:00
L93	512	(delay$3 near6 ((incomming or input or received) adj data)) with sampl$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:43
L94	476	87 same 92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44

EAST Search History

L95	391	87 with 93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44
L96	13	94 same ((four or "4") near3 (sample$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44
L97	3	95 with ((four or "4") near3 (sample$1 or times))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:44
L98	302	87 same (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:05
L99	250	87 with (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:47
L100	0	98 same (receiver$1 near3 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:48
L101	42	98 same (clock$1 near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:48
L102	9	99 with (clock$1 near3 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 15:48
L103	5	("4734900" | "5132957" | "5438303" | "5640131" | "6028898").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:55
L104	11	("6178212").URPN.	USPAT	OR	OFF	2006/10/26 15:55
L105	6	("5886901" | "5898640" | "5923621" | "6008680" | "6037801" | "6046600").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 15:58
L106	15	("6216256").URPN.	USPAT	OR	OFF	2006/10/26 15:58

L107	126	((setup or (set adj up)) adj hold) adj violation$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:01
L108	0	3 same 107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:01
L109	13	3 and 107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:01
L110	0	107 same (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:12
L111	5	107 and (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:05
L112	177	87 same ((active or inactive or rising or falling) near3 (clock$1 near2 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:30
L113	114	87 with ((active or inactive or rising or falling) near3 (clock$1 near2 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:12
L114	10	112 same (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:55
L115	6	113 with (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:13
L116	193	87 same ((active or inactive or rising or falling) near3 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:36

EAST Search History

L117	124	87 with ((active or inactive or rising or falling) near3 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:17
L118	13	116 same (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:17
L119	6	117 with (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:17
L120	2047	(delay$3 near6 ((incomming or input or received) adj data)) same (adjust$5 or chang$3 or increas$3 or decreas$3 or correct$4 or shift$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:34
L121	1192	(delay$3 near6 ((incomming or input or received) adj data)) with (adjust$5 or chang$3 or increas$3 or decreas$3 or correct$4 or shift$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:35
L122	169	87 same 120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:35
L123	73	87 with 121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:35
L124	12	122 same ((active or inactive or rising or falling) near3 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:36
L125	3	123 with ((active or inactive or rising or falling) near3 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:42
L126	10	("5022057" | "5487092" | "5872959" | "6087867" | "6275547" | "6359479" | "6516420" | "6526106" | "6529570" | "6744833").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 16:41
L127	0	("6904537").URPN.	USPAT	OR	OFF	2006/10/26 16:44

L128	9	("3908084" | "4604582" | "4700347" | "4720709" | "5022057" | "5313501" | "5327466" | "5684841" | "6262921").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 16:49
L129	3	("6526106").URPN.	USPAT	OR	OFF	2006/10/26 16:52
L130	25	87 same ((detemin$5 or dec$5 or calculat$4 or estimat$4) near6 delay$1)	USPAT	OR	OFF	2006/10/26 16:56
L131	8	87 with ((detemin$5 or dec$5 or calculat$4 or estimat$4) near6 delay$1)	USPAT	OR	OFF	2006/10/26 16:54
L132	3	130 same (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:12
L133	2	131 with (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:55
L134	7	87 same ((detemin$5 or dec$5 or calculat$4 or estimat$4) near6 (data near2 delay$3))	USPAT	OR	OFF	2006/10/26 17:07
L135	4	87 with ((detemin$5 or dec$5 or calculat$4 or estimat$4) near6 (data near2 delay$3))	USPAT	OR	OFF	2006/10/26 16:57
L136	7	("6122335").URPN.	USPAT	OR	OFF	2006/10/26 17:00
L137	22	("5022056" | "5173899" | "5327277" | "5398129" | "5479451" | "5488639" | "5572349" | "5680546" | "5754535" | "5774244" | "5818890" | "5822386" | "5848070" | "5864413" | "5864414" | "5872645" | "5896213" | "5896474" | "5907587" | "5926478" | "5930018" | "5930262").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 17:04
L138	10	87 same ((determin$5 or dec$5 or calculat$4 or estimat$4) near6 (data near2 delay$3))	USPAT	OR	OFF	2006/10/26 17:31
L139	5	87 with ((determin$5 or dec$5 or calculat$4 or estimat$4) near6 (data near2 delay$3))	USPAT	OR	OFF	2006/10/26 17:09

EAST Search History

L140	23	("5022056" | "5173899" | "5327277" | "5398129" | "5479451" | "5488639" | "5572349" | "5680546" | "5754535" | "5774244" | "5818890" | "5822386" | "5848070" | "5864413" | "5864414" | "5872645" | "5896213" | "5896474" | "5907587" | "5926478" | "5930018" | "5930262" | "6122335").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 17:10
L141	3	("6269137").URPN.	USPAT	OR	OFF	2006/10/26 17:11
L142	189	87 same ((receiver$1 or local) near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:12
L143	99	87 with ((receiver$1 or local) near2 clock$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:12
L144	7	142 same (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:13
L145	4	143 with (delay$3 near3 ((incomming or input or received) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:17
L146	32	("5081655").URPN.	USPAT	OR	OFF	2006/10/26 17:17
L147	15	("4119796" | "4151485" | "4604582" | "4611230" | "4617679" | "4623805" | "4637018" | "4755704" | "4756011" | "4773085" | "4821296" | "4821297" | "4831338" | "4837781" | "4839907").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 17:20
L148	2	142 same ((determin$5 or dec$5 or calculat$4 or estimat$4) near6 (data near2 delay$3))	USPAT	OR	OFF	2006/10/26 17:22
L149	1	143 with ((determin$5 or dec$5 or calculat$4 or estimat$4) near6 (data near2 delay$3))	USPAT	OR	OFF	2006/10/26 17:23
L150	376	87 same (clock$1 near2 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:31

EAST Search History

L151	215	87 with (clock$1 near2 (transition$1 or edge$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:31
L152	0	150 same ((determin$5 or dec$5 or calculat$4 or estimat$4) near6 (data near2 delay$3))	USPAT	OR	OFF	2006/10/26 17:39
L153	4	150 and ((determin$5 or dec$5 or calculat$4 or estimat$4) near6 (data near2 delay$3))	USPAT	OR	OFF	2006/10/26 17:31
L154	4	("4756011" | "4821296" | "4841551" | "4949361").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/26 17:33
L155	31	("5278873").URPN.	USPAT	OR	OFF	2006/10/26 17:35
L156	1236	((determin$5 or detect$4 or monitor$3) near6 (((incomming or input or received) near2 data) near2 value$1))	USPAT	OR	OFF	2006/10/26 17:41
L157	10	156 same ((active or inactive or rising or falling) near3 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:43
L158	3	156 with ((active or inactive or rising or falling) near3 (clock$1 near3 (transition$1 or edge$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:43